

**Unique identification code of the product-type:**

T 1.03 (Class A2-s1,d0 Laminated wet felt mineral fibre membrane components)

Bioguard Acoustic, Perla, Perla dB, Perla OP 0.95, Perla OP 1.00, Perla OP dB, Serene hA, Prestige, Prestige dB, Prestige hA+

**Intended use:**

Suspended ceiling membrane component for internal use

**Manufacturer:**

 Zentia Ltd.  
 Kingsway South, Team Valley Trading Estate  
 Gateshead, Tyne & Wear, NE11 OSP

**System/s of AVCP:**

Reaction to fire	System 1	Flexural tensile strength	System 4
Release of formaldehyde	System 3	Sound absorption	System 4
		Durability	System 4

**Harmonised standard:**

EN 13964:2014

**Notified Body/ies:**


 Efectis 1812-CPR-2104/2105/2106/2107  
 TUM 0797-CPR-B23232

**Declared performance**

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A2-s1,d0	EN 13964:2014
Release of formaldehyde	E1	
Flexural tensile strength	Class C / -	
Sound absorption	Appendix 1	
Durability	Class C	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

**Dirk Jaspers**  
**Managing Director**  
**Zentia Ltd / Zentia Profiles Ltd**



V3: 24112023

Place/date of issue:

Gateshead / 24 November 2023

## Appendix 1

Product	Sound absorption $\alpha_w$
Bioguard Acoustic	0.60(H)
Perla	0.65(H)
Perla dB	0.60(H)
Perla OP 0.95	0.95
Perla OP 1.00	1.00
Perla OP dB	0.90
Serene hA,	0.90
Prestige	0.70(H)
Prestige dB	0.60(H)
Prestige hA+	1.00