



# DECLARATION OF PERFORMANCE

## No. CSL 3.10.1

---

**Unique identification code of the product-type:**

T 3.10 (Clean Room 24)

Clean Room 24

---

**Intended use/es:**

Suspended ceiling substructure component for internal use

---

**Manufacturer:**

Ceiling Solutions Limited  
Kingsway South  
Team Valley Trading Estate  
Gateshead, Tyne & Wear NE11 0SP

---

**System/s of AVCP:**

Reaction to fire	System 3	Loadbearing Capacity	System 3
Durability	System 4		

---

**Harmonised standard:**

EN 13964:2014

**Notified Body/ies:**

Warringtonfire Testing and Certification Limited, trading as Warringtonfire (NB 0833) / Materialprüfungsamt Nordrhein-Westfalen Dortmund (NB 0432)

---

Declared performance	Essential characteristics	Performance	Harmonised technical specification
	Reaction to fire	<b>A2-s1, d0</b>	EN 13964:2014
	Loadbearing Capacity	<b>See producers information</b>	
	Durability	<b>B</b>	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:



**Dirk Jaspers**

**Ceiling Solutions Limited**

Place/date of issue:

Gateshead /  
10/09/2021