




DecoFrame Kit Classic Canopy

Floating ceiling suspension kits using 112mm Gridline
Aluminium Profile frame to create ceiling canopies.

Key Features

- ✓ Made-to-measure components and accessories all in a single box, ready-to-install for quick and easy installation
- ✓ Available in 10 standard modules with Gridline 15 or 24 grid for installation with full size ceiling tiles. Custom dimensions available on request
- ✓ Pre-fabricated corner sections for high quality corner detailing
- ✓ Ideal for reception areas, meeting areas circulation spaces and retail

Ceiling tiles are **NOT** included in this kit



Suspension System	DecoFrame Kit Classic Canopy – Gridline 15 Joggled	DecoFrame Kit Classic Canopy – Gridline 24 Joggled
Modules (mm)	1200 x 1200 AX 22 G15A 1800 x 1200 AX 32 G15A 1800 x 1800 AX 33 G15A 2400 x 1200 AX 42 G15A 2400 x 1800 AX 43 G15A 2400 x 2400 AX 44 G15A 3000 x 1200 AX 52 G15A 3000 x 1800 AX 53 G15A 3000 x 2400 AX 54 G15A 3000 x 3000 AX 55 G15A	1200 x 1200 AX 22 G24A 1800 x 1200 AX 32 G24A 1800 x 1800 AX 33 G24A 2400 x 1200 AX 42 G24A 2400 x 1800 AX 43 G24A 2400 x 2400 AX 44 G24A 3000 x 1200 AX 52 G24A 3000 x 1800 AX 53 G24A 3000 x 2400 AX 54 G24A 3000 x 3000 AX 55 G24A
System Width (mm)	15	24
Tile Compatibility	Tegular15	Board / Tegular24 / Integra

Sustainability



E1
EN 13964

Fire Reaction¹



Euroclass A2-s1, d0
EN 13501-1

¹For the Canopy kit

Performances & Features



Other performances values will depend upon the infill tile used with the DecoFrame Kit Classic Canopy

Custom Options




Dimensions



Shapes


Installation Layout



Integra



Tegular24
Tegular15



	3000	2400	1800	1200
1200	10 tiles	8 tiles	6 tiles	4 tiles
1800	15 tiles	12 tiles	9 tiles	
2400	20 tiles	16 tiles		
3000	25 tiles			

If you would like to order a sample or have any queries about this product please contact our Technical Sales Team on **0800 371 849** or email enquiries@zentia.com

TDS 206.1.08.24



DecoFrame Kit Classic Canopy SL2 Planks









Floating ceiling suspension kits using curved 112mm Gridline Aluminium Profile to create semi-concealed ceiling canopies.

Key Features


- ✓ Made-to-measure components and accessories all in a single box, ready-to-install for quick and easy installation
- ✓ Available in 6 standard modules with Z-Bars for installation with full size SL2 ceiling planks. Custom dimensions available on request
- ✓ Pre-fabricated corner sections for high quality corner detailing
- ✓ Ideal for reception areas, meeting areas circulation spaces and retail







Ceiling tiles are **NOT** included in this kit



Suspension System	DecoFrame Kit Classic Canopy SL2				
Modules (mm)	1800 x 1500.....	AX 36G SL2A			
	2400 x 1500.....	AX 46G SL2A			
	3000 x 1500.....	AX 56G SL2A			
	1800 x 1800.....	AX 33G SL2A			
	2400 x 1800.....	AX 43G SL2A			
	3000 x 1800.....	AX 53G SL2A			
Tile Compatibility	SL2				
Sustainability		EN 13964 E1			
Fire Reaction ¹		Euroclass A2-s1, d0 EN 13501-1			¹ For the Canopy kit
Performances & Features					Other performances values will depend upon the infill tile used with the DecoFrame Kit Classic Canopy SL2 Plank
					
Custom Options	Dimensions	Shapes			

Installation Layout



	1800	1500
6 planks		
1800		
8 planks		
2400		
10 planks		
3000		

If you would like to order a sample or have any queries about this product please contact our Technical Sales Team on **0800 371 849** or email enquiries@zentia.com

TDS 207.1.08.24












DecoFrame Kit Classic Canopy with Triangles

Floating ceiling suspension kits using 112mm Gridline Aluminium Profile frame to create ceiling canopies with Triangle tiles.

Key Features

- ✓ Made-to-measure components and accessories all in a single box, ready-to-install for quick and easy installation
 - ✓ Available in 2 standard modules with Gridline 24 grid for installation with full size ceiling tiles. Custom dimensions available on request
 - ✓ Pre-fabricated corner sections for high quality corner detailing
 - ✓ Ideal for reception areas, meeting areas circulation spaces and retail
- Ceiling tiles are **NOT** included in this kit



Suspension System	DecoFrame Kit Classic Canopy – Gridline 24 Joggled			
Modules (mm)	2200 x 2000..... BPAXT22G24 3400 x 2000 BPAXT56G24			
System Width (mm)	24			
Tile Compatibility	Board			
Sustainability		E1 EN 13964		
Fire Reaction ¹		Euroclass A2-s1, d0 EN 13501-1		¹ For the Canopy kit
Performances & Features				<div><div>30 Year System Guarantee</div><div>Other performances values will depend upon the infill tile used with the DecoFrame Kit Classic Canopy</div></div>
Custom Options		Dimensions		
Installation Layout	<div><div><div>2200mm</div><div><div>2000mm</div><div></div></div><div>8 tiles</div></div><div><div>3400mm</div><div><div>2000mm</div><div></div></div><div>12 tiles</div></div></div>			

*Image includes lights supplied by Light Forms.

Please note: The triangle lighting is designed and supplied by Light Forms, an independent company to Zentia Limited (Zentia). While the lighting complements Zentia's ceiling tiles, it must be ordered separately from Light Forms. Zentia does not manufacture or control the lighting supplied by Light Forms. As such, Zentia does not accept any liability for the quality, safety or performance of the lighting products supplied by Light Forms or any other third party supplier. Any issues, defects, or concerns regarding the lighting should be directed to Light Forms – we recommend that you review their terms and conditions, warranty policies, and return procedures before making a purchase.

If you would like to order a sample or have any queries about this product please contact our Technical Sales Team on **0800 371 849** or email enquiries@zentia.com

TDS 247.2.08.25